## **CuraMedical**<sup>®</sup>

**Registered Office** Industrieweg 6B 1566 JP Assendelft The Netherlands

Visiting Address Industrieweg 13-1 1566 JN Assendelft The Netherlands

Contact Phone: +31 75 657 1885 Fax: +31 75 657 1184 Email: sales@curamedical.com



WWW.CURAMEDICAL.COM

BCM001.02.EN rev.2017-03

ABSORBABLE HAEMOSTAT FAMILY CURASPON® CURACEL® CURATAMP® PROVEN PERFORMANCE IN SURGERY

# **CuraMedical®**





**6** 



## **Company profile**

CuraMedical B.V - We help to cure people



CuraMedical B.V. is a Dutch medical device company that operates in the wound management sector and specialises in the development, manufacturing and marketing of haemostatic agents. Continuously striving to offer exceptional quality and value, the company uses leading-edge technology to ensure outstanding and reliable product performance at competitive prices.

CuraMedical® entered the healthcare market in 1995 with CuraSpon®, an absorbable haemostatic agent based on pharmaceutical grade gelatin. The haemostatic product line was then further developed with the introduction of CuraCel<sup>®</sup>, an oxidised regenerated cellulose haemostat, and CuraTamp<sup>®</sup>, made from oxidised cellulose.

Currently our products are distributed in over 50 different countries and since the start of the company, millions of haemostats have been used in clinical sites all over the world. Product quality and performance have always been a priority across our organisation and thanks to our highly qualified and dedicated staff, we have maintained those standards and established ourselves as one of the leading suppliers of absorbable haemostats globally.

- At present the brands CuraSpon<sup>®</sup>, CuraCel<sup>®</sup> and CuraTamp<sup>®</sup> are exported worldwide to more than 50 countries.
- CuraSpon<sup>®</sup> is a sterile absorbable haemostatic gelatine sponge.
- **CuraCel**<sup>®</sup> is a sterile absorbable fabric, prepared by the controlled oxidation of regenerated cellulose.
- CuraTamp<sup>®</sup> is a sterile absorbable knitted fabric, prepared by the controlled oxidation of alpha grade cotton cellulose.
- CuraSpon<sup>®</sup>, CuraCel<sup>®</sup> and CuraTamp<sup>®</sup> provide haemostasis in surgical procedures.



#### Quality

CuraMedical<sup>®</sup> have an outstanding reputation for quality and service supplying a range of haemostats across the globe. We pride ourselves in monitoring every process from raw materials, packaging, marketing and distribution. Our ethos of safety and quality has resulted in an exemplary track record for design, manufacturing, warehouse storage and distribution. We operate a quality management system which is assessed and certified to ISO 13485 and the EU Medical Device Directive. All of our raw materials are sourced from the highest quality natural materials. Our manufacturing and cleanroom facilities exceed the highest certified standards required with the facility meeting all the necessary international regulations. We strive to continuously maintain the highest standards our customers have come to expect from us.



## CuraSpon®

Sterile absorbable haemostatic, type gelatine sponge



CuraSpon® is manufactured from highly purified neutral gelatine foam of uniform fine porosity which guarantees a favourable haemostasis. The gelatine sponge activates the thrombocytes at the moment blood comes in contact with the matrix of the sponge. This causes the thrombocytes to release a series of substances which promote their aggregation at the same time as their surfaces change character, thus enabling them to act as a catalyst for the formation of the fibrin. CuraSpon® provides haemostasis in surgical procedures to control capillary, venous and small arterial bleeding when binding, suturing or other conventional methods of control are impractical or ineffective.



| Preparation                        | Dimensions        | Reference code | Packaging          |
|------------------------------------|-------------------|----------------|--------------------|
| CuraSpon <sup>®</sup> Standard     | 80 x 50 x 10 mm   | CS-010         | Boxes of 20 pieces |
| CuraSpon <sup>®</sup> Size 12-7    | 60 x 20 x 7 mm    | CS-060         | Boxes of 20 pieces |
| CuraSpon <sup>®</sup> Special      | 80 x 50 x 1 mm    | CS-110         | Boxes of 15 pieces |
| CuraSpon <sup>®</sup> Tampon       | ø 30 x 80 mm      | CS-210         | Boxes of 15 pieces |
| CuraSpon <sup>®</sup> Powder paste | 1 gram container  | CS-260         | Boxes of 4 pieces  |
| CuraSpon <sup>®</sup> Cube         | 10 x 10 x 10 mm   | CS-310         | Boxes of 50 pieces |
| CuraSpon <sup>®</sup> Dental 60    | 10 x 10 x 10 mm   | CS-330         | Boxes of 60 pieces |
| CuraSpon <sup>®</sup> Dial 2-2     | 20 x 20 x 10 mm   | CS-420         | Boxes of 30 pieces |
| CuraSpon® Nasal tampon 5-2         | 50 x 10 x 10 mm   | CS-452         | Boxes of 10 pieces |
| CuraSpon <sup>®</sup> Size 100     | 125 x 80 x 10 mm  | CS-610         | Boxes of 15 pieces |
| CuraSpon <sup>®</sup> Film         | 200 x 70 x 0,5 mm | CS-950         | Boxes of 15 pieces |

Other sizes on request



## **CuraCel**<sup>®</sup>

Sterile absorbable haemostat, type **Oxidised Regenerated Cellulose (ORC)** 

## **CuraCel® Standard**

#### **Oxidised Regenerated Cellulose**

Natural (plant-based) cellulose is dissolved and extruded as a continuous fibre (regeneration). The fabric made from the fibre is very uniform in chemical composition and its oxidation therefore is closely regulated. This uniform oxidation results in less variation in stability and absorbability of the material compared to cotton-based products. Surface. As special features, CuraCel High Density can be sutured, and CuraCel Fibrillar can be peeled off in layers for optimal dosage. Action mechanism of **CuraCel**<sup>®</sup> is independent from blood coagulation mechanism of the body. When it contacts with blood, **CuraCel**<sup>®</sup> Haemostat forms a brownish or black gelatinous mass which aids clot formation. This

**CuraCel®** Absorbable Haemostat is a sterile product made of oxidised regenerated cellulose (polyoxyan hydro glucuronic acid) available in standard fabric, high-density fabric and a 7-layer fibrillose (fibrillar) form. **CuraCel®** Haemostat can be cut into any desired dimension. **CuraCel®** Haemostat is applied dry. It can be laid on, held against or wrapped around a bleeding

surrace. As special features, CuraCel High Density can be sutured, and CuraCel Fibrillar can be peeled off in layers for optimal dosage. Action mechanism of **CuraCel**<sup>®</sup> is independent from blood coagulation mechanism of the body. When it contacts with blood, **CuraCel**<sup>®</sup> Haemostat forms a brownish or black gelatinous mass which aids clot formation. This gelatinous mass acts as a physical matrix to which platelets can adhere. With platelet aggregation and formation of a platelet-fibrin plug, haemostasis occurs. When **CuraCel**<sup>®</sup> Haemostat is used properly in minimal amounts, it is absorbed from the sites of implantation without tissue reaction. It is completely absorbed within 7-14 days.





#### **CuraCel® Standard**

- Plant-based cellulose
- Haemostasis in 3 4 minutes
- Completely absorbed within 7 14 days
- Can be cut without fraying
- High flexibility and drapeability
  Data on file

| Preparation                        | Dimensions   | Reference code | Packaging          |
|------------------------------------|--------------|----------------|--------------------|
| CuraCel <sup>®</sup> Standard knit | 12,5 x 50 mm | CC-501         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> Standard knit | 50 x 75 mm   | CC-507         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> Standard knit | 50 x 350 mm  | CC-535         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> Standard knit | 75 x 100 mm  | CC-537         | Boxes of 12 pieces |
| CuraCel® Standard knit             | 100 x 200 mm | CC-540         | Boxes of 12 pieces |



Other sizes on request



# CuraCel<sup>®</sup> High Density

## CuraCel<sup>®</sup> Fibrillar



## CuraCel<sup>®</sup> High Density

- Haemostasis in 3 4 minutes
- Completely absorbed within 7 14 days
- Cutting without fraying
- Density suitable for suturing
- Laparoscopic compatibility
- Diffuse organ bleeding
- Transplant procedures

Data on file







| Preparation                       | Dimensions   | Reference code | Packaging          |
|-----------------------------------|--------------|----------------|--------------------|
| CuraCel <sup>®</sup> High Density | 26 x 26 mm   | CH-603         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> High Density | 50 x 75 mm   | CH-607         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> High Density | 76 x 102 mm  | CH-637         | Boxes of 12 pieces |
| CuraCel <sup>®</sup> High Density | 152 x 230 mm | CH-660         | Boxes of 10 pieces |

Other sizes on request



### CuraCel<sup>®</sup> Fibrillar

- Haemostasis in 3 4 minutes
- Completely absorbed within 7 14 days
- 7-layer fibrillose fabric
- Design versatility
- Tuft for irregular surfaces Data on file

| Preparation                    | Dimensions   | Reference code | Packaging          |
|--------------------------------|--------------|----------------|--------------------|
| CuraCel <sup>®</sup> Fibrillar | 25 x 51 mm   | CF-705         | Boxes of 10 pieces |
| CuraCel <sup>®</sup> Fibrillar | 51 x 102 mm  | CF-710         | Boxes of 10 pieces |
| CuraCel® Fibrillar             | 102 x 102 mm | CF-738         | Boxes of 10 pieces |





## **CuraTamp**<sup>®</sup>

Sterile absorbable haemostat, type Oxidised Cellulose (OC) gauze



#### **Oxidised Cellulose gauze**

**CuraTamp**<sup>®</sup> is a sterile, absorbable haemostat, Oxidised Cellulose (OC) gauze. Oxidised Cellulose is a fabric material that is obtained by the oxidation of alpha grade cotton gauze using nitrous oxide. The low pH of the cellulosic acid within the product has caustic properties that lead to haemostasis via the initial denaturation of blood proteins. **CuraTamp**<sup>®</sup> provides haemostasis in surgical procedures to control capillary, venous and small arterial bleeding when binding, suturing or other conventional methods of control are impractical or ineffective.

#### **CuraTamp**<sup>®</sup>

- Haemostasis in 3 4 minutes
- Completely absorbed within 7 14 days
- Can be cut without fraying
- High flexibility and drapeability
- Suitable for laparoscopic procedures
- No fabric memory effect
  Data on file



| Preparation                         | Dimensions   | Reference code | Packaging          |
|-------------------------------------|--------------|----------------|--------------------|
| CuraTamp® Standard knit             | 12,5 x 50 mm | CT-101         | Boxes of 12 pieces |
| CuraTamp <sup>®</sup> Standard knit | 50 x 75 mm   | CT-107         | Boxes of 12 pieces |
| CuraTamp® Standard knit             | 50 x 350 mm  | CT-135         | Boxes of 12 pieces |
| CuraTamp® Standard knit             | 75 x 100 mm  | CT-137         | Boxes of 12 pieces |
| CuraTamp® Standard knit             | 100 x 200 mm | CT-140         | Boxes of 12 pieces |



Other sizes on request